

10/ 727 806

Cofc.

**Nelson
Mullins**



Nelson Mullins Riley & Scarborough LLP

Attorneys and Counselors at Law

Atlantic Station / 201 17th Street, NW / Suite 1700 / Atlanta, GA 30363

Tel: 404.322.6000 Fax: 803.255.9831

www.nelsonmullins.com

Kenneth C. Bruley

Registered Patent Attorney

Tel: 404.322.6132

Fax: 803.255.9831

kenn.bruley@nelsonmullins.com

January 8, 2008

ATTN: Certificate of Correction Branch

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

RE: U.S. Patent of L. Murray Dallas

Entitled: "Apparatus for Controlling a Tool Having a Mandrel That Must be Stroked
Into or Out of a Well"

Patent No.: 7,210,525

Patented: May 1, 2007

Our Ref: 15912/09036

Dear Sir:

The following are being transmitted herewith:

1. Transmittal sheet with First Class Mailing Certificate
(original plus 1 copy (2 sheets))
2. Request for Certificate of Correction (1 sheet)
3. Certificate of Correction (1 sheet)
4. Return Postcard

**Certificate
JAN 17 2008
of Correction**

Please charge any deficiency or credit any overpayment required by this action to our deposit account no. 50-1196, for which purpose an extra copy of this transmittal letter is attached.

Very truly yours,

Kenneth C. Bruley

Reg. No. 51,504

I hereby certify that this paper and any referenced attachment and/or fee are being deposited with the U.S. Postal Service as first class mail in an envelope addressed to: ATTN: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Date of Deposit January 8, 2008

Lisa MacPherson

Typed name of person mailing paper or fee

Signature

RECEIVED-USPTO
Patent Publication

JAN 17 2008

Nelson Mullins



Nelson Mullins Riley & Scarborough LLP

Attorneys and Counselors at Law

Atlantic Station / 201 17th Street, NW / Suite 1700 / Atlanta, GA 30363

Tel: 404.322.6000 Fax: 803.255.9831

www.nelsonmullins.com

Kenneth C. Bruley

Registered Patent Attorney

Tel: 404.322.6132

Fax: 803.255.9831

kenn.bruley@nelsonmullins.com

January 8, 2008

ATTN: Certificate of Correction Branch

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

RE: U.S. Patent of L. Murray Dallas

Entitled: "Apparatus for Controlling a Tool Having a Mandrel That Must be Stroked Into or Out of a Well"

Patent No.: 7,210,525

Patented: May 1, 2007

Our Ref: 15912/09036

Dear Sir:

The following are being transmitted herewith:

1. Transmittal sheet with First Class Mailing Certificate (original plus 1 copy (2 sheets))
2. Request for Certificate of Correction (1 sheet)
3. Certificate of Correction (1 sheet)
4. Return Postcard

Please charge any deficiency or credit any overpayment required by this action to our deposit account no. 50-1196, for which purpose an extra copy of this transmittal letter is attached.

Very truly yours,

Kenneth C. Bruley

Reg. No. 51,504

I hereby certify that this paper and any referenced attachment and/or fee are being deposited with the U.S. Postal Service as first class mail in an envelope addressed to: ATTN: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Date of Deposit January 8, 2008

Lisa MacPherson

Typed name of person mailing paper or fee

Signature

RECEIVED-USPTO
Patent Production

JAN 17 2008



PATENT
DOCKET NO.: 15912/09036

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of)	
L. Murray Dallas)	Examiner: Matthew J. Smith
)	
Patent No.: 7,210,525)	Art Unit: 3672
)	
Patented: May 1, 2007)	Account No.: 50-1196
)	
Title: APPARATUS FOR CONTROLLING A)	
TOOL HAVING A MANDREL THAT)	
MUST BE STROKED INTO OR OUT OF)	
A WELL)	

REQUEST FOR CERTIFICATE OF CORRECTION

ATTN: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Dear Sir:

Pursuant to 37 C.F.R. § 1.322, Applicant requests that a Certificate of Correction be issued in the above-referenced patent. Please correct, in the specification, column 2, line 47, after "art)" please insert -- . --. Please correct, in the claims, column 7, line 60, after "the" please delete "too" and replace with --top--.

These typographical errors occurred during copying of the patent from the application as originally filed and were not the fault of Applicant.

Respectfully submitted,

NELSON MULLINS RILEY
& SCARBOROUGH, L.L.P.


Kenneth C. Bruley
Registration No. 51,504
1320 Main Street, 17th Floor
Columbia, SC 29201
(404) 322-6132
Fax (803) 255-9831

RECEIVED-USPTO
Patent Publication

JAN 17 2008

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 7,210,525

APPLICATION NO.: 10/727,806

ISSUE DATE : May 1, 2007

INVENTOR(S) : L. Murray Dallas

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the specification:

Column 2, line 47, after "art)" please insert --.--

In the claims:

Column 7, line 60, after "the" please delete "too" and replace with --top--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Kenneth C. Bruley, Esq.
Nelson Mullins Riley & Scarborough, LLP
1320 Main Street, 17th Floor, Columbia, SC 29201

RECEIVED USPTO
Patent Branch

JAN 17 2008

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.